

TUP4

Lange nylonplug met hoge uitzetting

De lange nylonplug TUP is geschikt voor het bevestigen van dunne of dikke elementen op elk type holle of volle ondergrond.

Kenmerken

Materiaal

- Plug : nylon,
- Schroeven : elektrolytisch verzinkt staal.

Voordelen

- Gecontroleerde uitzetting tijdens de installatie.


Toepassingen

Toepassingsgebieden

- Bevestigingen voor schrijnwerk,
- Bevestiging van houten elementen.

Ondergrond

- Ongescheurd beton,
- Hol en vol metselwerk.




TUP4



Lange nylonplug met hoge uitzetting

Technische gegevens

Product Dimension - Hex-head Screw



Referentie	Product Reference	Hole diameter x anchor length [d _o xL] [mm]	Fixture thickness [t _{fix}] [mm]	Min. hole depth [h ₁] [mm]	Nominal embedment depth [h _{nom}] [mm]	Min. support thickness [h _{min}] [mm]	Hole diameter in fixture [d _f] [mm]	Screw diameter [d] [mm]	Screw length [L _v] [mm]	Wrench	Qty per box	Qty per outer box [mm]
64101B1008500	TUP4	Ø10x85	15	80	70	125	10	7	90	13	100	500
64101B1010000		Ø10x100	30	80	70	125	10	7	105	13	50	500
64101B1011500		Ø10x115	45	80	70	125	10	7	120	13	50	500
64101B1013500		Ø10x135	65	80	70	125	10	7	140	13	50	250
64101B1016000		Ø10x160	90	80	70	125	10	7	165	13	50	250
64101B1213500		Ø12x135	65	80	70	125	12	10	140	17	25	250



Afmetingen

Referentie	Product Reference	Hole diameter x anchor length [d _o xL] [mm]	Fixture thickness [t _{fix}] [mm]	Min. hole depth [h ₁] [mm]	Nominal embedment depth [h _{nom}] [mm]	Min. support thickness [h _{min}] [mm]	Hole diameter in fixture [d _f] [mm]	Screw diameter [d] [mm]	Screw length [L _v] [mm]	Recess	Qty per box	Qty per outer box [mm]
64103B0808000	TUP4	Ø8x80	10	80	70	125	8	5.5	85	T30	100	1000
64103B0810000		Ø8x100	30	80	70	125	8	5.5	105	T30	50	500
64103B0812000		Ø8x120	50	80	70	125	8	5.5	125	T30	50	500
64103B1008500		Ø10x85	15	80	70	125	10	7	90	T40	100	500
64103B1010000		Ø10x100	30	80	70	125	10	7	105	T40	50	500
64103B1011500		Ø10x115	45	80	70	125	10	7	120	T40	50	500
64103B1013500		Ø10x135	65	80	70	125	10	7	140	T40	50	250
64103B1016000		Ø10x160	90	80	70	125	10	7	165	T40	50	250
64103B1020000		Ø10x200	130	80	70	125	10	7	205	T40	50	250

TUP4

Lange nylonplug met hoge uitzetting

Plaatsing

