

TMC Gipsvægsanker

TMC gipsvægsanker i metal Ø10 og Ø12 benyttes til fastgørelse i gipsvægge og andre hule materialer. Efter installation kan emnet monteres og demonteres med den medfølgende metriske skrue.

Egenskaber

Materiale

- Stål
- Elforzinket

Fordele

- Bred flange for at skjule evt. skader omkring hullet i gipsvæggen
- Ved brug af sætteværktøj forhindres overspænding af ankret


Anvendelse

Anvendelsesområder

- Elektriske komponenter
- Radiatorbeslag
- Rørklemmer

Egnet til


- Celleblokke (delvist egnet)
- Gipsplader
- Plader




TMC
Gipsvægsanker

Teknisk data

Product Dimensions



Art. nr.	Product Reference	Screw Dimensions [dxL _v] [mm]	Hole diameter [d ₀] [mm]	Plug length [Ø x L]	Min. wall thickness [h _{min}] [mm]	Max. wall thickness [h _{max}] [mm]	Qty per box	Qty per outer box	Vægt [kg]
7500100403800	TMC	M4x41	8	8x33	4	9	100	2000	0.007
7500100404500		M4x47	8	8x39	9	16	100	2000	0.008
7500100504500		M5x43	10	10x37	5	13	50	1000	0.014
7500100505800		M5x60	10	10x53	5	18	50	1000	0.017
7500100507100		M5x74	10	10x65	18	32	50	1000	0.021
7500100604500		M6x45	12	12x37	5	12	50	1000	0.018
7500100605800		M6x60	12	12x53	5	18	50	1000	0.022
7500100607100		M6x74	12	12x66	18	32	50	1000	0.026



TMC setting tool

Art. nr.	Product Reference	Qty per box
4990100000100	TMC-MTZ	1

Recommended capacities

Art. nr.	Product Reference	Screw Dimensions [dxL _v] [mm]	Recommended capacity						Installation data		
			Tension - N _{rec}			Shear - V _{rec}			Edge distance [ccr,N] [mm]	Spacing(5) - Scr,N [scr,N] [mm]	Max torque [Nm]
			Plasterboard 12,5 mm	Plasterboard 2 x 12,5 mm	Cell like clay brick	Plasterboard 12,5 mm	Plasterboard 2 x 12,5 mm	Cell like clay brick			
7500100403800	TMC	M4x41	0.08	-	0.12	0.15	-	0.2	50	50	1.5
7500100404500	TMC	M4x47	0.08	-	0.12	0.15	-	0.2	50	50	1.5
7500100504500	TMC	M5x43	0.12	-	0.18	0.2	-	0.25	75	75	1.5
7500100505800	TMC	M5x60	0.12	-	0.18	0.2	-	0.25	75	75	1.5
7500100507100	TMC	M5x74	-	0.2	0.18	-	0.25	0.25	75	75	1.5
7500100604500	TMC	M6x45	0.16	-	0.2	0.25	-	0.3	85	85	3
7500100605800	TMC	M6x60	0.16	-	0.2	0.25	-	0.3	85	85	3
7500100607100	TMC	M6x74	-	0.2	0.2	-	0.3	0.3	85	85	3
4990100000100	TMC-MTZ	-	-	-	-	-	-	-	-	-	-

*These values are for guidance only

TMC Gipsvægsanker

Product Dimension - D.I.Y

Art. nr.	Product Reference	Screw Dimensions [dxL _v] [mm]	Hole diameter [d _o] [mm]	Plug length [Ø x L]	Min. wall thickness [h _{min}] [mm]	Max. wall thickness [h _{max}] [mm]	Pcs/blister	Blister/Pkg.
75001005045F2	TMC	M5x43	10	10x37	5	13	4	20
75001005058F2	TMC	M5x60	10	10x53	5	18	4	20
75001006058F2	TMC	M6x60	12	12x53	5	18	4	20
75001006071F2	TMC	M6x74	12	12x66	18	32	4	20

TMC Gipsvægsanker

Montering

