

CSA-ZPB

Design Series Connector Screws - Impreg® + Paint in Black

CSA connector screw is developed for mounting of steel connectors to timber. The conical head secures fully contact to the connector which increases the transfer of force. A fixed connection with larger cross-bearing capacity than for standard screws is obtained. The torx helps to fix the screw during insertion. The black painted head ensure aesthetic finish with Design series connectors

Ominaisuudet

Material

- Steel quality: Carbon steel
- Corrosion protection: Impreg®+
- Black painted head

Torx

- Torx 20 bit

Sovellus

When to use

- Fixing of black connectors from Design Series
- Black Joisthanger

Assemblies

Main beam / Secondary beam: solid wood, composite lumber, glued laminated wood




CSA-ZPB

Design Series Connector Screws - Impreg® + Paint in Black

Technical Data

Product dimensions and capacities



Tuotenro	DB nr.	Fastener dimensions [mm]						Characteristic capacities - Timber C24 acc to ETA-04/0013 [kN]		Qty per blister	Qty/box
		d	l	d _h	d ₁	l _g	bit	R _{lat,k}	R _{ax,k}		
CSA5.0X40ZPB	2391139	5	40	8.3	3.15	34	T-20	2.3	2.5	-	100
CSA5.0X40ZPB-R	2391140		40	8.3	3.15	34	T-20	2.3	2.5	20	-

CSA-ZPB

Design Series Connector Screws - Impreg® + Paint in Black

Technical Notes

Benefits

- The thread is developed for timber and ensures a light and quick running into the timber
- The timber does not crack
- The conical shape under the head allow a full contact of the screw with the hole.
- The Impreg®+ coating allow the use of these screws in outdoor condition
- The black painted head fits with black Design Series connectors

