

QDPRORFE

Quik Drive Roofing Tile System

SIMPSON

Strong-Tie®

Tekniset tiedot

SIMPSON

Strong-Tie

QDPRORFE

Quik Drive Roofing Tile System

The QDPRORFE is a Quik Drive attachment suitable for screws ranging from 38 mm to 64 mm in length. It can be used for a variety of applications including fixing cladding boards, roof tiles, decking and flooring. The visibility window in the nose piece allows for visual inspection and precise placement of screws and improved accuracy. Quik Drive attachments are manufactured containing PTFE to reduce friction and impart non-stick properties meaning that no lubrication is required. The QDPRORFE is available as attachment only and extension poles can be purchased separately.

CE



Ominaisuudet

Materiaali

- Teräs S250GD

Hyödyt

- Teräs teräkseen
Suositeltu teräspaksuus: 0,9 - 2,5 mm

Kit Includes

- QDPRORFE : Quik Drive attachment, mandrel, driver bits and quiver.



Tekniset tiedot

QDPRORFE

Quik Drive Roofing Tile System

SIMPSON

Strong-Tie

Simpson Strong-Tie / Gbo Fastening Systems AB
Bruksvägen 2, 593 75 Gunnebo
tel: 0490-300 00
fax : 0490-233 00

Copyright by Simpson Strong-Tie®

Tämän materiaalin tiedot ovat yksinomaan Simpson Strong-Tie:n © omaisuutta
Tiedot ovat voimassa ja käytettävissä ainoastaan Simpson –Strong-Tie:n © tuotteita käytettäessä.

QDPRORFE

Quik Drive Roofing Tile System



www.strongtie.fi

SIMPSON

Strong-Tie

2025-08-23