

## Technical data sheet

FIRKS

**Grooved Nail Wood to Wood - Stainless Steel**

**SIMPSON**

**Strong-Tie®**

## Technical data sheet

**SIMPSON**

**Strong-Tie**

FIRKS

**Grooved Nail Wood to Wood - Stainless Steel**

*Grooved nails are used in most wood to wood nail assemblies due to high strength in shear. FIRK-S has application class 3.*

### Features

#### Material

**Steel Quality:**

- Stainless steel 1.4401

#### Benefits

**Square bright nails:**

- Have 25% higher pull-out strength compared to round nails
- Are easier to adjust even though the bending has occurred during installation
- Are for outdoor use



FIRKS

**Grooved Nail Wood to Wood - Stainless Steel**

Winchester Road Cardinal Point Tamworth  
Staffordshire B78 3HG  
tel: +44 1827 255600  
fax: +44 1827 255616

Copyright by Simpson Strong-Tie®

Information presented on this document is the exclusive property of Simpson Strong-Tie®  
It is valid only when associated with products supplied by Simpson Strong-Tie®

FIRKS

**Grooved Nail Wood to Wood -  
Stainless Steel**



[www.strongtie.co.uk](http://www.strongtie.co.uk)

**SIMPSON**

**Strong-Tie**

2024-05-14