

Technical data sheet



RSN34G

Framing Nail 34° Paper tape - Off-set Round Head, Ring shank - HDG

The framing nail is used for wood to wood constructions. The round (off-set) head gives a good visual end result and the ring shank increases the withdrawal capacity.

Features




Advantages

- Off-set round head
- High withdrawal capacity
- Hot dip galvanised
- Annular ring thread
- Paper tape 34°

Applications

Support

- Framing wood to wood



RSN34G
Framing Nail 34° Paper tape - Off-set Round Head, Ring shank - HDG

Technical Data

Product dimensions



References	Item code	DB nr.	NOBB nr.	Fastener dimensions [mm]						
				d	l	d _h	A _h	h _t	l _p	t _{fix}
RSN34G2.8X65	75754	2056101	55837736	2.8	65	6.5	33.2	1.3	3.2	48.2
RSN34G2.8X75	75755	2056102	55837721		75	6.5	33.2	1.3	3.2	58.2
RSN34G3.1X90	75756	2056103	55837717	3.1	88	6.5	33.2	1.3	3.5	69.4

Product characteristic properties

References	Product characteristic properties			
	Characteristic Yield Moment – M _{y,k} [M _{y,k}] [Nm]	Characteristic withdrawal parameter - f _{ax,k,90°} [f _{ax,k,90°}] [N/mm ²]	Characteristic head pull-through parameter - f _{head,k} [f _{head,k}] [N/mm ²]	Characteristic tensile capacity - f _{tens,k} [f _{tens,k}] [kN]
RSN34G2.8X65	3.2	10.7	30.1	3.1
RSN34G2.8X75	3.2	10.7	30.1	3.1
RSN34G3.1X90	4.4	9.5	20.8	3.1

