

Technical data sheet

QDPROLDHG2

Quik Drive Fibre Cement Board System

SIMPSON

Strong-Tie®

Technical data sheet

SIMPSON

Strong-Tie

QDPROLDHG2

Quik Drive Fibre Cement Board System

The QDPROLDHG2 attachment is designed to be used in conjunction with CB3BLGHL screws 32mm to 41mm long when fixing fibre cement board to timber frames. Quik Drive attachments are manufactured containing PTFE to reduce friction and impart non-stick properties meaning that no lubrication is required.



Features

Material

- Manufactured containing PTFE
- No lubrication required

Benefits

- Connects easily with screw gun adapter or extension
- Possible 360° rotation of attachment on adapter or extension
- Self-lubricating material for long life and smooth operation
- Self-locking depth adjustment for consistent countersinking of screws

Kit Includes

QDPROLDHG2 Quik Drive attachment, mandrel and driver bits.

Applications

Common Applications

- Fibre cement board to timber
- Cement board to timber

QDPROLDHG2

Quik Drive Fibre Cement Board System

Winchester Road Cardinal Point Tamworth
Staffordshire B78 3HG
tel: +44 1827 255600
fax: +44 1827 255616

Copyright by Simpson Strong-Tie®

Information presented on this document is the exclusive property of Simpson Strong-Tie®
It is valid only when associated with products supplied by Simpson Strong-Tie®

QDPROLDHG2

**Quik Drive Fibre Cement Board
System**



www.strongtie.co.uk

SIMPSON

Strong-Tie

2024-04-26