

ECP

Light Duty Flat L Bracket

Light angle brackets are used in a large number of DIY applications and are commonly used for reinforcing furniture assemblies.

Features

Material

- Steel S235JR according to NF EN 10025, electro-galvanized finish.

Benefits

- Large range for multi use.
- Suitable for use on timber and concrete.


Applications

Header member


- **Supporting member:** wood, etc.

For Use With

- Solid wood.
- Panels.
- PVC, etc.

**EZ****INDOOR**


Timber connection



ECP
Light Duty Flat L Bracket

Technical Data

Product Dimensions



Timber connection

References	Product Dimensions [mm]				Joist			Holes flange B		
	A	B	C	t	Ø3.6	Ø3.8	Ø4.5	Ø3.6	Ø3.8	Ø4.5
ECP40/1.2	40	40	10	1.2	-	2	-	-	2	-
ECP60/1.5	60	60	16	1.5	-	-	2	-	-	2
ECP80/2	80	80	16	2	-	-	2	-	-	2
ECP100/2	100	100	16	2	-	-	2	-	-	2

ECP

Light Duty Flat L Bracket

Installation

Fixing

Countersunk holes:


- Type 30 to 80 dia. 4.2 mm.
- Type 90 to 140 dia. 5.5 mm.

On wood:

- CNA annular ring-shank nails dia. 3.1 x 35 mm and dia. 4.0 x 35 mm.
- SD8 screws dia. 4.0 x 32 mm.

Installation

- 1. Place the elements together**
- 2. Mark out positions if required**
- 3. Fix the elements with nail or screws**



Timber connection

