

Technical data sheet

QDPROHX516G2

Quik Drive Attachment for Metal Sheeting

SIMPSON

Strong-Tie®

Technical data sheet

SIMPSON

Strong-Tie

QDPROHX516G2

Quik Drive Attachment for Metal Sheeting

The QDPROHX516G2 is designed to be used in light gauge steel applications with Simpson Strong-Tie 'X' screws. Quik Drive attachments are manufactured containing PTFE to reduce friction and impart non-stick properties meaning that no lubrication is required. The QDPROHX516G2 kit comes with mandrel, hex driver bit, screw quiver and carry case. Extension poles can be ordered separately.



Features

Material

- Manufactured containing PTFE
- No lubrication required

Benefits

- Connects easily with screw gun adapter or extension
- Possible 360° rotation of attachment on adapter or extension
- Self-lubricating material for long life and smooth operation
- Self-locking depth adjustment to prevent damage to steel

Kit Includes

QDPROHX516G2 Quik Drive attachment, mandrel, hex driver bit and screw quiver.

Applications

Common Applications

- Steel to steel applications
- Steel framing
- Light gauge steel

QDPROHX516G2

Quik Drive Attachment for Metal Sheeting

Winchester Road Cardinal Point Tamworth
Staffordshire B78 3HG
tel: +44 1827 255600
fax: +44 1827 255616

Copyright by Simpson Strong-Tie®

Information presented on this document is the exclusive property of Simpson Strong-Tie®
It is valid only when associated with products supplied by Simpson Strong-Tie®

QDPROHX516G2

**Quik Drive Attachment for Metal
Sheeting**



www.strongtie.co.uk