Technical data sheet

PHSD

PHSD STEEL FRAMING Screw, Pan Head

PHSD is a self-drilling pan head screw with a drill point tip suitable for light gauge steel frame assembly.

Features

Material

• Steel - electro galvanised

Benefits

- Self-drilling
- Light gauge steel framing (0.5 to 2mm thickness) applications
- Pan head
- #2 Drill point with fine thread
- Free bit (BIT2SE) included


Applications

Header member

• Light gauge steel

Applications

• Steel framing



PHSD PHSD STEEL FRAMING Screw, Pan Head



Technical Data

Product dimensions							
References	Head diameter [mm]	Thread diameter [mm]	Thread length [mm]	Screws pr. band	Screws pr. case	Compatible devices	Max. rotational speed [tr/min]
PHSD19E	8	4.1	19	23	2500	QDPROPH	2500

Technical data sheet

PHSD PHSD STEEL FRAMING Screw, Pan Head

Installation

Fixing

• PHSD

Winchester Road Cardinal Point Tamworth Staffordshire B78 3HG tel: +44 1827 255600 fax: +44 1827 255616 Copyright by Simpson Strong-Tie® Information presented on this document is the exclu PHSD PHSD STEEL FRAMING Screw, Pan Head





Copyright by Simpson Strong-Tie® Information presented on this document is the exclusive property of Simpson Strong-Tie® It is valid only when associated with products supplied by Simpson Strong-Tie®

2024-09-08 www.strongtie.co.uk

