

# Technical data sheet

**SIMPSON**

**Strong-Tie**<sup>®</sup>

PSB Mesh Wing  
**Plaster Stop Bead**

## PSB Mesh Wing Plaster Stop Bead

*Plastering and rendering made simple.*

- *Products simply fixed with plaster dabs or nails.*
- *Edges, arrises, corners, joints and abutments all easier to form.*
- *Designed to minimise potential chipping, cracking and associated damage.*



*Plaster stop bead (65mm Mesh Wing)*

- *Provides a neat finish plaster/render edge wherever required.*
- *Numerous applications internally and externally including those at openings, abutment of walls and for ceiling finishes.*

### **Installation**

*Edge beads may be fixed by dabs or by masonry nails of similar material.*

*Plasterboard Edge Bead: Fix the perforated wing flush to the board face before applying final skim coat. The bead may be reversed if required by fixing the wing to the board's inner surface.*





PSB Mesh Wing  
**Plaster Stop Bead**

Winchester Road Cardinal Point Tamworth Staffordshire B78 3HG  
tel: +44 1827 255600  
fax: +44 1827 255616

PSB Mesh Wing  
**Plaster Stop Bead**



Copyright by Simpson Strong-Tie®  
Information presented on this document is the exclusive property of Simpson Strong-Tie®  
It is valid only when associated with products supplied by Simpson Strong-Tie®

2024-04-22

[www.strongtie.co.uk](http://www.strongtie.co.uk)