

Technical data sheet

PSB Mesh Wing
Plaster Stop Bead

SIMPSON

Strong-Tie[®]

PSB Mesh Wing Plaster Stop Bead

Plastering and rendering made simple.

- *Products simply fixed with plaster dabs or nails.*
- *Edges, arrises, corners, joints and abutments all easier to form.*
- *Designed to minimise potential chipping, cracking and associated damage.*



Plaster stop bead (65mm Mesh Wing)

- *Provides a neat finish plaster/render edge wherever required.*
- *Numerous applications internally and externally including those at openings, abutment of walls and for ceiling finishes.*

Installation

Edge beads may be fixed by dabs or by masonry nails of similar material.

Plasterboard Edge Bead: Fix the perforated wing flush to the board face before applying final skim coat. The bead may be reversed if required by fixing the wing to the board's inner surface.



PSB Mesh Wing
Plaster Stop Bead

Winchester Road Cardinal Point Tamworth Staffordshire B78 3HG
tel: +44 1827 255600
fax: +44 1827 255616

PSB Mesh Wing
Plaster Stop Bead

Copyright by Simpson Strong-Tie®
Information presented on this document is the exclusive property of Simpson Strong-Tie®
It is valid only when associated with products supplied by Simpson Strong-Tie®

2024-04-30



www.strongtie.co.uk