Technical data sheet

FM-MP3 evo LONG

Long heavy-duty three segments through anchor



The FM-MP3 evo LONG is an anchor made of galvanised steel, which is placed into a drilled hole and anchored by torque-controlled expansion.

Features

Material

White zinc plated

Applications

Benefits

- Non-cracked concrete
- Multiple use for non-structural applications on cracked and non-cracked concrete
- Fire resistance R120

Applications

- · Safety barriers
- Fencing
- Railings



















Technical data sheet

FM-MP3 evo LONG

Long heavy-duty three segments through anchor



Technical Data

Product Dimension - Hex head screw grade 8.8

Table "Product Dimension - Hex head screw grade 8.8" cannot be displayed : no references available.

hoom to

Product Dimension - Hex socket countersunk head screw grade 8.8

Table "Product Dimension - Hex socket countersunk head screw grade 8.8" cannot be displayed : no references available.

Recommended loads / for single anchors / with no edge distances or spacings - ETA-09/0067

Table "Recommended loads / for single anchors / with no edge distances or spacings - ETA-09/0067" cannot be displayed : no references available.

Recommended loads / for single anchors / with no edge distances or spacings - ETA-10/0074

Table "Recommended loads / for single anchors / with no edge distances or spacings - ETA-10/0074" cannot be displayed : no references available.

Technical data sheet

FM-MP3 evo LONG


Long heavy-duty three segments through anchor




Installation


Suitable for

Multiple use for non-structural applications on cracked and non-cracked concrete









Spacings and edge distances - ETA-09/0067

Table "Spacings and edge distances - ETA-09/0067" cannot be displayed : no references available.

spacings and edge distances - ETA-10/0074

Table "spacings and edge distances - ETA-10/0074" cannot be displayed : no references available.

FM-MP3 evo LONG

Long heavy-duty three segments through anchor



