## **Technical data sheet**

#### **PPJST**

### Garden post bases



PPJST are recommended for creating small structures such as garden fences. Very easy to disassembled, they are particularly suitable for temporary structures. PPJST must be screwed into the ground.

### **Features**

#### Material

- Steel DD11 according to NF EN 10111.
- Hot-dip galvanized finish according to NF EN ISO 1461.

#### **Benefits**

• Precut plate corners for improved safety.

## **Applications**

### Header member

- **Supporting member:** solid wood, glued-laminated wood, composite lumber, etc.
- **Supported member:** solid wood, glued-laminated wood, composite lumber, etc.

### **Applications**

- Fastening of fences.
- Fastening of light structures for gardens.
- Fastening of temporary structures.





# Technical data sheet

### PPJST

## Garden post bases



# **Technical Data**





### Product Dimensions

References	Dimensions and drill holes					Holes		Weight [kg]
	Α	В	C	D	t	Ø11	Ø18	weight [kg]
PPJST70/660	71	145	71	515	2	8	2	1.9
PPJST90/660	91	145	91	515	2	8	2	2.2

## **Technical data sheet**

#### **PPJST**

### **Garden post bases**



## Installation


### Fixing

#### Post:

- Bolts.
- Lag screws dia. 10 mm.

### Mise en garde

The garden range is not suitable for structural applications subjected to significant forces (wind, etc.). The structures must also be correctly designed and installed in order to withstand lateral loads caused by wind (knee brace, etc.).



Fixation à visser dans le sol

PPJST **Garden post bases** 



