

ECCD/G

Light angle brackets

Light angle brackets are used in a large number of DIY applications and are commonly used for reinforcing furniture assemblies.



Features

Material

- Steel S235JR according to NF EN 10025, electro-galvanized finish.

Benefits

- large range for large application range
- Suitable on timber and concrete


Applications

Suitable On

- **Supporting member:** wood, etc.

Scope

- Solid wood.
- Panels.
- PVC, etc.



Renforcement de meubles

ECCG160/1,5


Technical data sheet

SIMPSON**Strong-Tie**[®]

ECCD/G

Light angle brackets

Technical Data



Product Dimensions

Renforcement de meubles

References	Product Dimensions [mm]				Joist	Holes flange B	Weight [kg]
	A	B	C	t	Ø4.5	Ø4.5	
ECCD60/1.5	44	60	16	1.2	2	2	0.018
ECCG60/1.5	44	60	16	1.2	2	2	0.018

ECCD/G

Light angle brackets

Installation

Fasteners

Countersunk holes:


- Type 30 to 80 dia. 4.2 mm.
- Type 90 to 140 dia. 5.5 mm.

On wood:

- CNA annular ring-shank nails dia. 3.1 x 35 mm and dia. 4.0 x 35 mm.
- SD8 screws dia. 4.0 x 32 mm.

Installation

1. Approcher l'élément à fixer du support,
2. Pointer l'élément. Celui-ci peut aussi être vissé à l'aide de vis adaptées,
3. L'équerre est aussi pointée ou vissée sur celui-ci.



Renforcement de meubles

ECCD/G

Light angle brackets