AKRS

AKR stainless steel bracket



These brackets allow optimum connection between wood and other building materials such as concrete and steel. This is an economic connections that can be used in many areas. AKR and AKR-L will vary screw hole.

Features

Material

Steel quality:

- Stainless Steel 1.4401 bzw. 1.4404 (V4A) in accordance with EN10088 standards.
- Class III corrosion resistance

Benefits

• Many uses of the beams to the columns may be used for partial or complete nailing.

Applications

Applications

Concrete, steel

Scope

• These brackets allow optimum connection between wood and other building materials such as concrete and steel.






Fixation poutre sur dalle béton



Fixation d'équerre renforcée pour ossature bois avec SDS



AKRS

AKR stainless steel bracket



Technical Data

Product Dimensions





Table "Product Dimensions" cannot be displayed : no references available.

Capacities: Fullnailing









Table "Capacities: Fullnailing" cannot be displayed: no references available.

Capacities: Partnailing







Table "Capacities: Partnailing" cannot be displayed: no references available.

Capacities: Post connection










Table "Capacities: Post connection" cannot be displayed : no references available.

Simplified characteristic capacities - Wood to concrete - Full nailing - 1 bracket per connection









All holes filled.

Table "Simplified characteristic capacities - Wood to concrete - Full nailing - 1 bracket per connection" cannot be displayed : no references available.

Simplified characteristic capacities - Wood to concrete - Partial nailing - 1 bracket per connection





Partial nailina


Table "Simplified characteristic capacities - Wood to concrete - Partial nailing - 1 bracket per connection" cannot be displayed : no references available.


AKRS

AKR stainless steel bracket



Simplified characteristic capacities - Post mounting to concrete - 1 bracket per connection





Clouage sur poteau

Table "Simplified characteristic capacities - Post mounting to concrete - 1 bracket per connection" cannot be displayed : no references available.

AKRS

AKR stainless steel bracket



Installation

Γ_{\sim}	~+	. ~		_	
Fа	SI	\leftrightarrow	n	$\boldsymbol{\leftarrow}$	r.S

• Fasten nails or screws CNA4,0xl CSA5,0xl.Pro installation in concrete anchor bolt M12.

AKRS

AKR stainless steel bracket



