

FM-MP3 evo SAFER Metalen anti-inbraakplug

De metalen plug FM-MP3 evo SAFER is een anti-inbraakbevestigingsoplossing voor roosters, borstweringen of deuren.

Kenmerken

Materiaal

- Elektrolytisch verzinkt staal.

Voordelen

- Body uit één stuk, met een exclusief kegelhechtingssysteem,
- Gemakkelijk en veilig te installeren dankzij de speciale kop: met het zeshoekige deel dat loskomt wanneer het installatiekoppel is bereikt.

Toepassingen

Toepassingsgebieden

- Deur- of vensterroosters,
- Deuren,
- Diverse metalen structuren.

Ondergrond


- Ongescheurd beton,
- Vol metselwerk,
- Steen,
- Alveolaire baksteen (compatibiliteit te controleren).

**TV****BINNEN**

FM-MP3 evo SAFER
Metalen anti-inbraakplug

Technische gegevens





Product Dimensions



Referentie	Product Reference	Dimensions [ØxL] [mm]	Fixture thickness [t _{fix}] [mm]	Hole diameter [d _o] [mm]	Min. hole depth [h ₁] [mm]	Nominal embedment depth [h _{nom}] [mm]	Min. setting depth [h _{ef}] [mm]	Hole diameter in fixture [d _f] [mm]	Min. support thickness [h _{min}] [mm]	Cap diameter [ØA] [mm]
73313B1207500	FM-MP3 evo SAFER	M8x75	30	12	70	50	43	13	100	17

FM-MP3 evo SAFER Metalen anti-inbraakplug

Plaatsing



Installation data

Referentie	Product Reference	Dimensions [ØxL] [mm]	Ø drilling hole [d0] [mm]	Min. drill depth [h1] [mm]	Ø drilling fixture [df] [mm]	Wrench size [SW] [mm]	Embedment depth [hef] [mm]	Min. support thickness [hmin] [mm]
73313B1207500	FM-MP3 evo SAFER	M8x75	12	70	13	17	43	100

Spacings and edge distances

Referentie	Product Reference	Dimensions [ØxL] [mm]	Min. edge distance [cmin] [mm]	Min. spacing [smin] [mm]	Characteristic edge distance [ccr,N] [mm]	Characteristic spacing(5) - Scr,N [scr,N] [mm]
73313B1207500	FM-MP3 evo SAFER	M8x75	45	45	65	130

