Ficha técnica

CSA-ZPB Design Series Connector Screws - Impreg® + Paint in Black

CSA connector screw is developed for mounting of steel connectors to timber.

The conical head secures fully contact to the connector which increases the transfer of force. A fixed connection with larger cross-bearing capacity than for standard screws is obtained. The torx helps to fix the screw during insertion. The black painted head ensure aesthetic finish with Design series connectors

Características

Material

- Steel quality: Carbon steel
- Corrosion protection: Impreg®+
- Black painted head

Torx

• Torx 20 bit

Aplicações

When to use

- Fixing of black connectors from Design Series
- Black Joisthanger

Assemblies

Main beam / Secondary beam: solid wood, composite lumber, glued laminated wood







IMPREG[®]

÷

EXTERIOR

SIMPSON

Ficha técnica



Dados técnicos

Product dimensions and capacities									 ✓ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■		
Referência	DB nr.	Fastener dimensions [mm]						Characteristic capacities - Timber C24 acc to ETA-04/0013 [kN]		Qty per blister	Oh/hov
		d	I	d _h	d ₁	lg	bit	R _{lat.k}	R _{ax.k}	aly per blister	Qty/box
CSA5.0X40ZPB	2391139	5	40	8.3	3.15	34	T-20	2.3	2.5	-	100

Ficha técnica



Notas Técnicas

Benefits

- The thread is developed for timber and ensures a light and quick running into the timber
- The timber does not crack
- The conical shape under the head allow a full contact of the screw with the hole.
- The Impreg®+ coating allow the use of these screws in outdoor condition
- The black painted head fits with black Design Series connectors

ZAC des Quatre Chemins - 85400 Sainte Gemme la Plaine - France tél : +33 2 51 28 44 00 fax : +33 2 51 28 44 01 Copyright by Simpson Strong-Tie® As informações contidas neste site são propri CSA-ZPB Design Series Connector Screws -Impreg® + Paint in Black





As informações contidas neste site são propriedade de Simpson Strong-Tie® São apenas válidas se associadas aos produtos comercializados pela Simpson Strong-Tie®

2024-05-05 www.strongtie.pt