

Tekniskt datablad

L-PB

Design Series L järn

SIMPSON

Strong-Tie

L järn används till förankring av regel och överliggare på stolpe.

Egenskaper

Material

- **Stålkvalitet:**
Galvaniserat stål S250GD + ZPRO
- **Korrosionsskydd:**
ZPRO ytbehandling motsvarande en zinktjocklek på cirka 55 µm
Svartlackering RAL 9005

Benefits

- Increases the strength of beam-to-column connections,
- Makes pergolas, awnings and other light structures more reliable where the end of a beam is supported by a post,
- Simple to install using black head SSH-PB screws,
- High corrosion resistance for use under service class 3 conditions,
- Black painting : discrete...

Användning

Support

- **Header Member:** Solid timber, composite timber, glulam
- **Joist:** Solid timber, composite timber, glulam

For use with

- Joists




L-PB

Design Series L järn

Teknisk data

Mått



Art. nr.	Mått [mm]				Hål			Vikt [kg]
	A	B	C	t	Ø5	Ø8,5	Ø10	
L150PB	150	150	40	2	10	3	-	0.16
L190BPB	190	190	70	3	-	-	5	0.53

Montering

Fasteners

- Black head screw SSH8.0X40PB

Installation

- For standard timber section from 90x90 mm to 200x200 mm

