



SWD is a construction screw designed to connect two wood members together. The small cap-style head and double thread creates a flexible, hidden assembly with high strength. The differentiated thread pitch creates a clamp effect, reducing the risk of gaps between the wood pieces.

OMINAISUUDET



Features:

- Cap-style head
- Double threaded
- Chisel point




SOVELLUS

Application:

- Wood to wood

TECHNICAL DATA

Product dimensions



Tuotenumero	Item code	NOBB nr.	Fastener dimensions [mm]					
			d	l	d _h	l _{g1}	t _{fix}	bit
SWD6.5x65	75425	55839185	6.5	65	8	28	-	TX30
SWD6.5x90	75426	55839140	6.5	90	8	40	-	TX30
SWD6.5x130	75427	55839083	6.5	130	8	40	-	TX30
SWD6.5x160	75428	55839155	6.5	160	8	65	-	TX30
SWD6.5x190	75429	55839045	6.5	190	8	80	-	TX30
SWD6.5x220	75430	55839136	6.5	220	10	95	-	TX30
SWD8.0x90	75431	55839174	7.8	90	10	40	-	TX40
SWD8.0x130	75432	55839117	7.8	130	10	40	-	TX40
SWD8.0x160	75433	55839053	7.8	160	10	65	-	TX40
SWD8.0x190	75434	55839072	7.8	190	10	80	-	TX40
SWD8.0x220	75435	55839098	7.8	220	10	95	-	TX40
SWD8.0x245	75436	55839064	7.8	245	10	107.5	-	TX40
SWD8.0x275	75437	55839121	7.8	275	10	107.5	-	TX40
SWD8.0x300	75438	55839102	7.8	300	10	135	-	TX40
SWD8.0x330	75439	55839166	7.8	330	10	135	-	TX40

Product characteristic properties

Table "Product characteristic properties" cannot be displayed : no references available.

